STIC Biotechnology Systems Branch

RAW SEQUENCE LISTING
ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: _10/573,130A_
Source: _1FnO,_
Date Processed by STIC: _8/29/06_

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:
1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE **CHECKER VERSION 4.4.0 PROGRAM**, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:
    http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.
Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.
Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<http://www.uspto.gov/ebc/efs/downloads/documents.htm> , **EFS Submission User Manual - ePAVE)**
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05): U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314

Revised 01/10/06

IFWO

RAW SEQUENCE LISTING   DATE: 08/29/2006
PATENT APPLICATION: US/10/573,130A   TIME: 08:46:39

Input Set : A:\Substitute Sequence List-13111-00035-US.txt
Output Set: N:\CRF4\08292006\J573130A.raw

```
 3 <110> APPLICANT: Sturmer, Rainer
 4         Kesseler, Maria
 5         Hauer, Bernhard
 6         Friedrich, Thomas
 7         Breuer, Michael
 9 <120> TITLE OF INVENTION: Methods for the production of
10         3-methylamino-1-(thiene-2-yl)-propane-1-ol
12 <130> FILE REFERENCE: 13111-00035-US
14 <140> CURRENT APPLICATION NUMBER: US/10/573,130A
15 <141> CURRENT FILING DATE: 2006-03-23
17 <150> PRIOR APPLICATION NUMBER: PCT/EP2004/010939
18 <151> PRIOR FILING DATE: 2004-09-30
20 <150> PRIOR APPLICATION NUMBER: DE 103 45 772.0
21 <151> PRIOR FILING DATE: 2003-10-01
23 <160> NUMBER OF SEQ ID NOS: 44
25 <170> SOFTWARE: PatentIn version 3.3
28 <210> SEQ ID NO: 1
30 <211> LENGTH: 47
32 <212> TYPE: PRT
34 <213> ORGANISM: Lactobacillus brevis
37 <400> SEQUENCE: 1
39 Met Ser Asn Arg Leu Asp Gly Lys Val Ala Ile Val Thr Gly Gly Thr
40 1               5                   10                  15
43 Leu Gly Ile Gly Leu Ala Ile Ala Thr Lys Phe Val Glu Glu Gly Ala
44              20                  25                  30
47 Lys Val Met Ile Thr Gly Arg His Ser Asp Val Gly Glu Lys Ala
48          35                  40                  45
51 <210> SEQ ID NO: 2
53 <211> LENGTH: 18
55 <212> TYPE: PRT
57 <213> ORGANISM: Candida magnoliae
60 <400> SEQUENCE: 2
62 Ser Asn Ala Leu Val Thr Gly Gly Ser Arg Val Ile Gly Ala Gly Gly
63 1               5                   10                  15
66 Phe Ile
70 <210> SEQ ID NO: 3
72 <211> LENGTH: 756
74 <212> TYPE: DNA
76 <213> ORGANISM: Lactobacillus brevis
79 <220> FEATURE:
81 <221> NAME/KEY: CDS
83 <222> LOCATION: (1)..(756)
86 <400> SEQUENCE: 3
```

RAW SEQUENCE LISTING   DATE: 08/29/2006
PATENT APPLICATION: US/10/573,130A   TIME: 08:46:39

Input Set : A:\Substitute Sequence List-13111-00035-US.txt
Output Set: N:\CRF4\08292006\J573130A.raw

```
 87 atg tct aac cgt ttg gat gga aaa gta gca atc gtt aca ggt ggt acg      48
 88 Met Ser Asn Arg Leu Asp Gly Lys Val Ala Ile Val Thr Gly Gly Thr
 89 1           5                   10                  15
 91 ttg ggt atc ggt tta gct atc gcc acg aag ttc gtt gaa gaa ggg gct      96
 92 Leu Gly Ile Gly Leu Ala Ile Ala Thr Lys Phe Val Glu Glu Gly Ala
 93             20                  25                  30
 95 aag gtc atg att acc ggc cgg cac agc gat gtt ggt gaa aaa gca gct     144
 96 Lys Val Met Ile Thr Gly Arg His Ser Asp Val Gly Glu Lys Ala Ala
 97         35                  40                  45
 99 aag agt gtc ggc act cct gat cag att caa ttt ttc caa cat gat tct     192
100 Lys Ser Val Gly Thr Pro Asp Gln Ile Gln Phe Phe Gln His Asp Ser
101     50                  55                  60
103 tcc gat gaa gac ggc tgg acg aaa tta ttc gat gca acg gaa aaa gcc     240
104 Ser Asp Glu Asp Gly Trp Thr Lys Leu Phe Asp Ala Thr Glu Lys Ala
105 65                  70                  75                  80
107 ttt ggc cca gtt tct aca tta gtt aat aac gct ggg atc gcg gtt aac     288
108 Phe Gly Pro Val Ser Thr Leu Val Asn Asn Ala Gly Ile Ala Val Asn
109                 85                  90                  95
111 aag agt gtc gaa gaa acc acg act gct gaa tgg cgt aaa cta tta gcc     336
112 Lys Ser Val Glu Glu Thr Thr Thr Ala Glu Trp Arg Lys Leu Leu Ala
113             100                 105                 110
115 gtc aac ctt gat ggt gtc ttc ttc ggt acc cga tta ggg att caa cgg     384
116 Val Asn Leu Asp Gly Val Phe Phe Gly Thr Arg Leu Gly Ile Gln Arg
117         115                 120                 125
119 atg aag aac aaa ggc tta ggg gct tcc atc atc aac atg tct tcg atc     432
120 Met Lys Asn Lys Gly Leu Gly Ala Ser Ile Ile Asn Met Ser Ser Ile
121     130                 135                 140
123 gaa ggc ttt gtg ggt gat cct agc tta ggg gct tac aac gca tct aaa     480
124 Glu Gly Phe Val Gly Asp Pro Ser Leu Gly Ala Tyr Asn Ala Ser Lys
125 145                 150                 155                 160
127 ggg gcc gta cgg att atg tcc aag tca gct gcc tta gat tgt gcc cta     528
128 Gly Ala Val Arg Ile Met Ser Lys Ser Ala Ala Leu Asp Cys Ala Leu
129                 165                 170                 175
131 aag gac tac gat gtt cgg gta aac act gtt cac cct ggc tac atc aag     576
132 Lys Asp Tyr Asp Val Arg Val Asn Thr Val His Pro Gly Tyr Ile Lys
133         180                 185                 190
135 aca cca ttg gtt gat gac cta cca ggg gcc gaa gaa gcg atg tca caa     624
136 Thr Pro Leu Val Asp Asp Leu Pro Gly Ala Glu Glu Ala Met Ser Gln
137     195                 200                 205
139 cgg acc aag acg cca atg ggc cat atc ggt gaa cct aac gat att gcc     672
140 Arg Thr Lys Thr Pro Met Gly His Ile Gly Glu Pro Asn Asp Ile Ala
141     210                 215                 220
143 tac atc tgt gtt tac ttg gct tct aac gaa tct aaa ttt gca acg ggt     720
144 Tyr Ile Cys Val Tyr Leu Ala Ser Asn Glu Ser Lys Phe Ala Thr Gly
145 225                 230                 235                 240
147 tct gaa ttt gta gtt gac ggt ggc tac act gct caa                     756
148 Ser Glu Phe Val Val Asp Gly Gly Tyr Thr Ala Gln
149                 245                 250
152 <210> SEQ ID NO: 4
```

RAW SEQUENCE LISTING
PATENT APPLICATION: US/10/573,130A

DATE: 08/29/2006
TIME: 08:46:39

Input Set : A:\Substitute Sequence List-13111-00035-US.txt
Output Set: N:\CRF4\08292006\J573130A.raw

```
154 <211> LENGTH: 252
156 <212> TYPE: PRT
158 <213> ORGANISM: Lactobacillus brevis
161 <400> SEQUENCE: 4
163 Met Ser Asn Arg Leu Asp Gly Lys Val Ala Ile Val Thr Gly Gly Thr
164 1               5                   10                  15
167 Leu Gly Ile Gly Leu Ala Ile Ala Thr Lys Phe Val Glu Glu Gly Ala
168             20                  25                  30
171 Lys Val Met Ile Thr Gly Arg His Ser Asp Val Gly Glu Lys Ala Ala
172         35                  40                  45
175 Lys Ser Val Gly Thr Pro Asp Gln Ile Gln Phe Phe Gln His Asp Ser
176     50                  55                  60
179 Ser Asp Glu Asp Gly Trp Thr Lys Leu Phe Asp Ala Thr Glu Lys Ala
180 65                  70                  75                  80
183 Phe Gly Pro Val Ser Thr Leu Val Asn Asn Ala Gly Ile Ala Val Asn
184                 85                  90                  95
187 Lys Ser Val Glu Glu Thr Thr Thr Ala Glu Trp Arg Lys Leu Leu Ala
188             100                 105                 110
191 Val Asn Leu Asp Gly Val Phe Phe Gly Thr Arg Leu Gly Ile Gln Arg
192         115                 120                 125
195 Met Lys Asn Lys Gly Leu Gly Ala Ser Ile Ile Asn Met Ser Ser Ile
196     130                 135                 140
199 Glu Gly Phe Val Gly Asp Pro Ser Leu Gly Ala Tyr Asn Ala Ser Lys
200 145                 150                 155                 160
203 Gly Ala Val Arg Ile Met Ser Lys Ser Ala Ala Leu Asp Cys Ala Leu
204             165                 170                 175
207 Lys Asp Tyr Asp Val Arg Val Asn Thr Val His Pro Gly Tyr Ile Lys
208         180                 185                 190
211 Thr Pro Leu Val Asp Asp Leu Pro Gly Ala Glu Glu Ala Met Ser Gln
212         195                 200                 205
215 Arg Thr Lys Thr Pro Met Gly His Ile Gly Glu Pro Asn Asp Ile Ala
216     210                 215                 220
219 Tyr Ile Cys Val Tyr Leu Ala Ser Asn Glu Ser Lys Phe Ala Thr Gly
220 225                 230                 235                 240
223 Ser Glu Phe Val Val Asp Gly Gly Tyr Thr Ala Gln
224             245                 250
227 <210> SEQ ID NO: 5
229 <211> LENGTH: 472
231 <212> TYPE: DNA
233 <213> ORGANISM: Candida magnoliae
236 <220> FEATURE:
238 <221> NAME/KEY: CDS
240 <222> LOCATION: (1)..(471)
243 <400> SEQUENCE: 5
244 aac gcg ctg gtg acg ggc ggc agc cgc ggc att ggc gaa gcc act gcc      48
245 Asn Ala Leu Val Thr Gly Gly Ser Arg Gly Ile Gly Glu Ala Thr Ala
246 1               5                   10                  15
248 att aag ctc gcc gag gag ggc tac agc gtc acg att gcg tct cgc ggc      96
249 Ile Lys Leu Ala Glu Glu Gly Tyr Ser Val Thr Ile Ala Ser Arg Gly
```

RAW SEQUENCE LISTING   DATE: 08/29/2006
PATENT APPLICATION: US/10/573,130A   TIME: 08:46:39

Input Set : A:\Substitute Sequence List-13111-00035-US.txt
Output Set: N:\CRF4\08292006\J573130A.raw

```
250              20              25              30
252 ctt aag cag ctc gag gct gtg aag gcc aaa cta ccc att gtg aag cag      144
253 Leu Lys Gln Leu Glu Ala Val Lys Ala Lys Leu Pro Ile Val Lys Gln
254          35              40              45
256 gga cag gtt cac cac gtg tgg cag ctt gat ctc agt gat gtc gac gct      192
257 Gly Gln Val His His Val Trp Gln Leu Asp Leu Ser Asp Val Asp Ala
258          50              55              60
260 gcg gcc gcc ttc aaa ggg tcg ccg cta cct gcc agc cgc tac gac gtg      240
261 Ala Ala Ala Phe Lys Gly Ser Pro Leu Pro Ala Ser Arg Tyr Asp Val
262 65              70              75              80
264 ctc gtc agc aat gct ggc gtg gcc cag ttt agc ccg ttc atc gag cat      288
265 Leu Val Ser Asn Ala Gly Val Ala Gln Phe Ser Pro Phe Ile Glu His
266          85              90              95
268 gcg aag cag gac tgg tcg cag atg ctt gcc atc aat ctg gcg gca ccc      336
269 Ala Lys Gln Asp Trp Ser Gln Met Leu Ala Ile Asn Leu Ala Ala Pro
270          100             105             110
272 att gcg ctg gcc cag aca ttt gct aag gcc att ggc gac aag ccg cgc      384
273 Ile Ala Leu Ala Gln Thr Phe Ala Lys Ala Ile Gly Asp Lys Pro Arg
274          115             120             125
276 aac aca ccg gcc cac att gtg ttt gtc tcg tcg aac gtc tcg ttg cga      432
277 Asn Thr Pro Ala His Ile Val Phe Val Ser Ser Asn Val Ser Leu Arg
278          130             135             140
280 ggc ttc ccg aac atc ggc gtc aac tcc atc acc ccc ggc a                472
281 Gly Phe Pro Asn Ile Gly Val Asn Ser Ile Thr Pro Gly
282 145             150             155
285 <210> SEQ ID NO: 6
287 <211> LENGTH: 157
289 <212> TYPE: PRT
291 <213> ORGANISM: Candida magnoliae
294 <400> SEQUENCE: 6
296 Asn Ala Leu Val Thr Gly Gly Ser Arg Gly Ile Gly Glu Ala Thr Ala
297 1               5               10              15
300 Ile Lys Leu Ala Glu Glu Gly Tyr Ser Val Thr Ile Ala Ser Arg Gly
301          20              25              30
304 Leu Lys Gln Leu Glu Ala Val Lys Ala Lys Leu Pro Ile Val Lys Gln
305          35              40              45
308 Gly Gln Val His His Val Trp Gln Leu Asp Leu Ser Asp Val Asp Ala
309 50              55              60
312 Ala Ala Ala Phe Lys Gly Ser Pro Leu Pro Ala Ser Arg Tyr Asp Val
313 65              70              75              80
316 Leu Val Ser Asn Ala Gly Val Ala Gln Phe Ser Pro Phe Ile Glu His
317          85              90              95
320 Ala Lys Gln Asp Trp Ser Gln Met Leu Ala Ile Asn Leu Ala Ala Pro
321          100             105             110
324 Ile Ala Leu Ala Gln Thr Phe Ala Lys Ala Ile Gly Asp Lys Pro Arg
325          115             120             125
328 Asn Thr Pro Ala His Ile Val Phe Val Ser Ser Asn Val Ser Leu Arg
329          130             135             140
332 Gly Phe Pro Asn Ile Gly Val Asn Ser Ile Thr Pro Gly
```

RAW SEQUENCE LISTING   DATE: 08/29/2006
PATENT APPLICATION: US/10/573,130A   TIME: 08:46:39

Input Set : A:\Substitute Sequence List-13111-00035-US.txt
Output Set: N:\CRF4\08292006\J573130A.raw

```
333 145                    150                    155
337 <210> SEQ ID NO: 7
338 <211> LENGTH: 27
339 <212> TYPE: DNA
340 <213> ORGANISM: Artificial sequence
342 <220> FEATURE:
343 <223> OTHER INFORMATION: Primer: Mke 338
345 <400> SEQUENCE: 7
346 gggaattcca tatgtctaac cgtttgg                        27
349 <210> SEQ ID NO: 8
350 <211> LENGTH: 28
351 <212> TYPE: DNA
352 <213> ORGANISM: Artificial sequence
354 <220> FEATURE:
355 <223> OTHER INFORMATION: Primer: Mke 339
357 <400> SEQUENCE: 8
358 cgtagggaag cttattgagc agtgtagc                       28
361 <210> SEQ ID NO: 9
362 <211> LENGTH: 28
363 <212> TYPE: DNA
364 <213> ORGANISM: Artificial sequence
366 <220> FEATURE:
367 <223> OTHER INFORMATION: Primer: Mke 366
369 <400> SEQUENCE: 9
370 acgacgacga gcaacgcbct bgtbacgg                       28
373 <210> SEQ ID NO: 10
374 <211> LENGTH: 28
375 <212> TYPE: DNA
376 <213> ORGANISM: Artificial sequence
378 <220> FEATURE:
379 <223> OTHER INFORMATION: Primer: Mke 367
381 <400> SEQUENCE: 10
382 acgacgacgt cgaacgcbct bgtbacgg                       28
385 <210> SEQ ID NO: 11
386 <211> LENGTH: 27
387 <212> TYPE: DNA
388 <213> ORGANISM: Artificial sequence
390 <220> FEATURE:
391 <223> OTHER INFORMATION: Primer: Mke 374
393 <400> SEQUENCE: 11
394 gccggggttg atsswgttsa cgccgat                        27
397 <210> SEQ ID NO: 12
398 <211> LENGTH: 10
399 <212> TYPE: PRT
400 <213> ORGANISM: Lactobacillus brevis
403 <220> FEATURE:
404 <221> NAME/KEY: MISC_FEATURE
405 <222> LOCATION: (1)..(10)
406 <223> OTHER INFORMATION: Fragment: C terminus
```

RAW SEQUENCE LISTING ERROR SUMMARY   DATE: 08/29/2006
PATENT APPLICATION: US/10/573,130A   TIME: 08:46:40

FYI

Input Set : A:\Substitute Sequence List-13111-00035-US.txt
Output Set: N:\CRF4\08292006\J573130A.raw

lease Note:
se of n and/or Xaa have been detected in the Sequence Listing. Please review the
equence Listing to ensure that a corresponding explanation is presented in the <220>
o <223> fields of each sequence which presents at least one n or Xaa.

```
eq#:15; Xaa Pos. 60
eq#:16; Xaa Pos. 19,20
eq#:17; Xaa Pos. 12,13,14,15
eq#:18; Xaa Pos. 8
eq#:19; Xaa Pos. 9,11,12,13,14,15
eq#:22; Xaa Pos. 6,10,11,12,13,14,15
eq#:23; Xaa Pos. 6,12,15,16,17,18
eq#:24; Xaa Pos. 6,10,11,12,13,14,15,16,17
eq#:25; Xaa Pos. 16,17,18,19,20
eq#:26; Xaa Pos. 1,3
eq#:27; Xaa Pos. 9,13
eq#:28; Xaa Pos. 7,17,18,19,20
eq#:30; Xaa Pos. 1,10,11,12,13,14,15,16,17,18,19,20
eq#:32; Xaa Pos. 29,30
eq#:33; Xaa Pos. 5,6,7,8,9,10
eq#:34; Xaa Pos. 3,13,14,15,16,17,18,19,20
eq#:35; Xaa Pos. 11,12,13,14
eq#:36; Xaa Pos. 1
eq#:40; Xaa Pos. 1
eq#:41; Xaa Pos. 2,39,40
eq#:42; Xaa Pos. 37,38,39
eq#:43; Xaa Pos. 12,13,14,15
eq#:44; Xaa Pos. 13,14,15
```

VERIFICATION SUMMARY   DATE: 08/29/2006
PATENT APPLICATION: US/10/573,130A   TIME: 08:46:40

Input Set : A:\Substitute Sequence List-13111-00035-US.txt
Output Set: N:\CRF4\08292006\J573130A.raw

```
,:496 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 after pos.:48
,:596 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:16
,:617 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:0
,:634 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18 after pos.:0
,:705 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19 after pos.:0
,:800 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 after pos.:0
,:897 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23 after pos.:0
1:341 Repeated in SeqNo=23
,:923 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24 after pos.:0
1:341 Repeated in SeqNo=24
,:944 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:25 after pos.:0
1:341 Repeated in SeqNo=25
,:970 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:0
,:1057 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:27 after pos.:0
,:1154 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:0
1:341 Repeated in SeqNo=28
,:1320 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30 after pos.:0
1:341 Repeated in SeqNo=30
,:1554 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:32 after pos.:16
,:1571 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:33 after pos.:0
,:1632 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34 after pos.:0
1:341 Repeated in SeqNo=34
,:1653 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:35 after pos.:0
,:1685 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:36 after pos.:0
,:1815 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:40 after pos.:0
,:1845 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:41 after pos.:0
1:341 Repeated in SeqNo=41
,:1987 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:42 after pos.:32
,:2004 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:43 after pos.:0
,:2066 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:44 after pos.:0
```

```
<210>  15
<211>  60
<212>  PRT
<213>  Lactobacillus brevis

<220>
<221>  VARIANT
<222>  (47)..(47)
<223>  Amino acid is Ala or Lys
```

"Ala" at location 47 can only represent itself.

Use Xaa, instead, and explain in <220>-<223> section

```
<220>
<221>  UNSURE
<222>  (48)..(48)
<223>  Amino acid is Lys or Ala
```
same error

```
<220>
<221>  VARIANT
<222>  (53)..(53)
<223>  Amino acid is Pro or Thr
```
same error

```
<220>
<221>  VARIANT
<222>  (59)..(59)
<223>  Amino acid is Phe, Val, Gly, or Asn
```
same error

```
<220>
<221>  misc_feature
<222>  (60)..(60)
<223>  Xaa is unknown
```
OK

```
<400>  15

Ser Asn Arg Leu Asp Gly Lys Val Ala Ile Val Thr Gly Gly Thr Leu
1               5                   10                  15


Gly Ile Gly Leu Ala Ile Ala Thr Lys Phe Val Glu Glu Gly Ala Lys
            20                  25                  30


Val Met Ile Thr Gly Arg His Ser Asp Val Gly Glu Lys Ala Ala Lys
        35                  40                  45


Ser Val Gly Thr Pro Asp Gln Ile Gln Phe Phe Xaa
50                      55                  60
```

These types of errors appear in Sequence 16 and other subsequent sequences